

ISSN 0013-8908

11 MAY 1992

THE ENTOMOLOGIST'S MONTHLY MAGAZINE

World List Abbreviation, 4th ed. (1963): *Entomologist's mon. Mag.*

EDITED BY

Prof. Sir Richard SOUTHWOOD, D.Sc., F.R.S., F.R.E.S.

M. G. MORRIS, M.A., Ph.D., F.I.Biol., F.L.S., F.R.E.S.

K. G. V. SMITH, C.Biol., F.I.Biol., F.L.S., F.R.E.S.

J. W. ISMAY, B.Sc., Ph.D., F.R.E.S.

P. M. HAMMOND, M.A., F.R.E.S.

W. R. DOLLING, B.Sc., F.R.E.S.

VOLUME 127

'J'engage donc tous à éviter dans leurs écrits toute personnalité, toute allusion dépassant les limites de la discussion la plus sincère et la plus courtoise.' — *Laboulbène*.

THE ENTOMOLOGIST'S MONTHLY MAGAZINE
BRIGHTWOOD
BRIGHTWELL, WALLINGFORD, OXON OX10 0QD
1991

Published by Gem Publishing Company

CONTENTS

CONTRIBUTORS	iii
GENERAL INDEX	iv
SPECIAL INDEX –	
ARACHNIDA	viii
COLEOPTERA	viii
COLLEMBOLA	xi
DERMAPTERA	xi
DICTYOPTERA	xi
DIPLURA	xi
DIPTERA	xi
EPHEMEROPTERA	xiii
HEMIPTERA	xiii
HYMENOPTERA	xiii
ISOPTERA	xv
LEPIDOPTERA	xv
ODONATA	xv
ORTHOPTERA	xv
PLECOPTERA	xv
PSOCOPTERA	xv
SIPHONAPTERA	xv
THYSANOPTERA	xv
TRICHOPTERA	xv
GROUPS OTHER THAN INSECTA AND ARACHNIDA	xv
ERRATA AND CORRIGENDA	xvi

DATES OF PUBLICATION

January/February/March/April	12th April 1991
May/June/July/August	29th July 1991
September/October/November/December	25th November 1991

INDEX

This index covers the year 1991 (Vol. 127). Items occurring on the wrappers are indicated by Roman numerals. Prepared by Mrs A.V. Smith.

INDEX TO CONTRIBUTORS

- | | |
|--|---|
| Allen, A.A., 25, 106, 143, 144, 204, 214 | Huddleston, T., 191 |
| Archer, M.E., 34, 76, 161, 225, 241 | Ismay, J.W., 243 |
| Askew, R.R., 29, 205 | Jessop, L., 256 |
| Bacchus, M.E., 209 | Johnson, C., 91 |
| Badmin, J., 196, 242 | Jones, T.A., 253 |
| Barrington, R., 118 | King, G., 43 |
| Beaver, R.A., 53 | Kirby, P., 38, 150, 158, 250 |
| Ben-Dov, Y., 49 | Laurence, B.R., 139 |
| Bilton, D.T., 24, 52, 56, 118, 149, 160, 176, 196, 218 | Luff, M.L., 42 |
| Bouček, Z., 190 | MacGowan, I., 138, 219 |
| Chvála, M., 11 | Majerus, M., 54, 167, 176 |
| Claridge, M.F., 220 | Meyer-Arndt, S., 61 |
| Cooter, J., 71, 255 | Miles, P.M., 90 |
| Crowson, R.A., 150 | Nelson, J.M., 39 |
| De Meyer, M., | New, T.R., 35 |
| de Rougemont, G.M., 221 | Notton, D.G., 123, 159 |
| Dike, M.C., 199 | O'Connor, J.P., 70 |
| Disney, R.H.L., 73, 119 | Owen, D.F., 107 |
| Drake, C.M., 121 | Owen, J.A., 144, 198 |
| Drummond, D.C., 151 | Plant, A.R., 156 |
| Dudgeon, D., 45 | Quicke, D.L.J., 19, 191 |
| Duff, A.G., 189 | Reid, C.A.M., 24 |
| Eason, E.H., 23 | Robertson, A., 165 |
| Edmunds, M., 45 | Rotheray, G.E., 48 |
| Edwards, M., 108, 118 | Sarhan, A.A., 19 |
| Fayza, H.A., 37 | Savage, A.D., 145 |
| Felton, C.F., 17, 252 | Service, M.W., 122 |
| Fox, A.D., 253 | Shaw, M.R., 48, 157 |
| Gayubo, S.F., 127 | Sinclair, M., 144 |
| George, R.S., 195 | Smith, A.P.L., 34 |
| Giller, P.S., 77 | Smith, K.G.V., 9, 34, 44, 51, 60, 72, 95, 106, 115, 160, 164, 198, 208, 224, xi |
| Gillies, M.T., 109 | Southwood, T.R.E., 97 |
| Good, J.A., 77 | Spencer, K.A., 57 |
| Graham, M.W.R. de V., 7, 55, 117, 177, 197 | Spriggs, A.H. Kirk-, 209 |
| Guichard, K.M., 71 | Verdcourt, B., 143 |
| Hall, M.J.R., 27, 223 | Wardlaw, J.C., 233 |
| Hanapi, S.B., 29 | Wardle, J., 42 |
| Hancox, M., 251 | Whitehead, P.F., 10, 17, 18, 96, 116, 158, 164, 197 |
| Harris, K.M., 36, 97 | White, I.M., 52 |
| Hodge, P.J., 12, 72, 90, 116 | Winter, T.G., 13 |
| Horsfield, D., 28, 116, 137, 156, 190 | Wyatt, N.P., 1 |

GENERAL INDEX

- Aegean Islands and Western Turkey, a new species of *Fieberiella* Signoret (Hem., Cicadellidae), from, and with new locality records for the genus, 61
- Africa, a new species of *Afroptilum* (*Afroptiloides*) (Ephem., Baetidae), from East, 109
- Aggregation, large of *Legnotus limbosus* (Geoffroy), (Hem., Cydnidae), 150
- Arum dioscoridis* Sm. and *A. orientale* B. Bieb., insects visiting, 151
- Association involving *Carpelimus lindrothi* Palm and *Atheta basicornis* (Mulsant & Rey) (Col., Staphylinidae), 197
- Australasian Scolytidae (Col.), reclassification of some, 53
- Authorship and dating of the family Hybotidae (Dipt., Empidoidea): a correction, 11
- Badger dung, the insect fauna of, 251
- Bat fleas (Siphonaptera) in the Channel Islands, 195
- Berkshire, a recent record of *Staphylinus ophthalmicus* Scopoli (Col., Staphylinidae) in, with a note on its prey, 176; *Phytoecia cylindrica* (L.) (Col., Cerambycidae) at Maidenhead, 143
- Biology of the sawfly, *Pontania collacteana* (Förster) (Hym., Tenthredinidae), 29
- Britain, *Aspilota intermediana* Fischer, a fungicolous braconid (Hym.) new to, 159; exotic bark beetles (Col., Scolytidae) on timber imports into, 1980–1988, 13; *Phrudus badensis* Hilpert (Hym., Ichneumonidae) new to, 157; *Platypalpus rapidoides* Chvála (Dipt., Empididae) new to, 219; *Trichosia hirtipennis* (Zetterstedt) (Dipt., Sciaridae) new to, 43
- British, *Badister meridionalis* Puel 1925 (Col., Carabidae) reconfirmed as, 116; capture of *Piezura boletorum* (Rond.) (Dipt., Muscidae), earliest known, 204; Coleoptera some noteworthy records of, 90; Dolichopodidae (Dipt.) records of some notable, 25; record(s) of *Perigona nigriceps* Dejean (Col., Carabidae), its habitat and associated fauna, a further, 10; records of exotic invertebrates, 96; of *Eriippis connexa* Germar (Col., Coccinellidae), a first, 176; species of *Lasiosina* Becker and *Pseudopachychaeta* Strobl (Dipt., Chloropidae), 243
- Buckinghamshire, notes on distribution of *Myllaena* spp. (Col., Staphylinidae) in, 24
- Carlisle, *Porcellio dilatatus* Brandt and *Porcellionides pruinosus* (Brandt) (Isopoda: Porcellionidae) in, 56
- Channel Islands, bat fleas (Siphonaptera) in, 195
- Chile, Malaise trap catches of Psocoptera from Magallanes, Southern, 35
- Correction, *Cryptocephalus querceti* Suffr. (Col., Chrysomelidae), 106
- Cryptic behaviour in the Oriental leaf mantis *Sinomantis denticulata* Meier (Dictyoptera, Mantodea), 45
- Cumberland, *Hallomenus binotatus* (Quensel) (Col., Melandryidae) in, 52; *Hydraena pygmaea* Waterhouse (Col., Hydraenidae) in, 24; *Pterostichus angustatus* (Duftschmid) (Col., Carabidae) in Westmorland and, 118; *Staphylinus nero* Faldermann (Col., Staphylinidae) in north, 196
- Cumbria, recent records of *Hercostomus angustifrons* Staeger (Dipt., Dolichopodidae) in Shropshire and, 121
- Devon, a mid-winter colony of *Bombus terrestris* L. (Hym., Apidae) in, 165; *Diglossa submarina* (Fairm. & Lab.) (Col., Staphylinidae) in North, 160; notable wasps and bees (Hym., Aculeata) in, during 1985, 76
- Diet of predatory staphylinid beetles – a review of records, 77
- Distribution of the centipedes *Lithobius obscurus* Meinert and *L. peregrinus* Latzel (Chilopoda, Lithobiomorpha), 23
- Dorset, notable wasps and bees (Hym., Aculeata) in, during 1985, 76; *Thinobius brevipennis* Kiesenwetter (Col., Staphylinidae) apparently new to, 255
- Dung, badger, the insect fauna of, 251
- Earliest known British capture of *Piezura boletorum* (Rond.) (Dipt., Muscidae), and its more recent occurrence amongst fungi, 204
- England, *Eumenes papillarius* (Christ) (Hym., Vespidae) in, 71; notes on the distribution of *Myllaena* spp. (Col., Staphylinidae) in Buckinghamshire and north-west, 24
- Exotic bark beetles (Col., Scolytidae) on timber imports into Great Britain, 1980–1988, 13; invertebrates, some British records of, 93
- Fungi, occurrence of *Piezura boletorum* (Rond.) (Dipt., Muscidae), among, 204
- Gloucestershire, notable wasps and bees (Hym., Aculeata) in, during 1985, 76

- Hampshire, notable wasps and bees (Hym., Aculeata) in, during 1988, 34
- Host plant record(s), additional for *Eupteryx filicum* (Newman) (Hem., Cicadellidae), 196; a new for *Platyrhinus resinosus* (Scopoli) (Col., Anthribidae), 18; of British ladybirds (Col., Coccinellidae), 167, unusual for some Heteroptera (Hem., Miridae, Pentatomidae), 38
- Host records, Diptera, for species of *Basalys* and *Trichopria* (Hym., Diapriidae), 123
- Iberian Peninsula, the genus *Philanthus* F. (Hym., Sphecidae) in, 127
- Identity of *Dynatogmus* Mayr (Hym., Agaonidae, Sycophaginae), 190; of *Tetrastichus mikrzejewskii* Kurdjumov (Hym., Eulophidae), 117; of the genus *Stomoctea* Dufour, 1846 (Hym., Chalcidoidea), 55; of the rare pollen beetle *Meligethes brevis* Sturm (Col., Nitidulidae), and its status in Britain, 99
- Inland records of *Chlorosoma schillingi* (Schummel) (Hem., Rhopalidae), further, 250
- Isle of Wight, notable wasps and bees (Hym., Aculeata) in, during 1988, 34
- Kent, rediscovery of *Pediopsis tiliiae* (Germar) (Hem., Cicadellidae) in, 242
- Life history of *Dicyphus pallicornis* (Meyer-Dür) (Hem., Miridae), 158
- Localised British beetles, some further records of, 158
- London, *Phania funesta* Meigen (Dipt., Tachinidae) in North, 9
- Marsham, R. & Stephens, J.F., *Meligethes* (Col., Nitidulidae) described by, with changes in nomenclature and type designation, 209
- Melanic form of *Tythaspis sedecimpunctata* L. (Col., Coccinellidae), 54
- Merseyside, *Ectobius pallidus* (Olivier) (Dictyopt., Blatellidae) on, 252
- Middlesex, *Bombylus canescens* Mikan (Dipt., Bombyliidae) in North London, 160; *Brachyopa insensilis* Collin (Dipt., Syrphidae) in North London, 208; *Leopoldius signatus* (Wiedemann) (Dipt., Conopidae) in North London, 164; *Metrioptera roeselii* (Hagenbach) (Orth., Tettigoniidae) in North London, 224; *Phania funesta* Meigen (Dipt., Tachinidae) in, 9
- Mongolia, a new species of *Bracon* (Hym., Braconidae) from, 19
- Monitoring, Opiliones (Arachnida) at a single site, ten years of, 107
- Nearctic dung-flies (Dipt., Scathophagidae), prestomal teeth of, 39
- Nepal, a new species of *Rhynchomicropteron* (Dipt., Phoridae) from, 119
- Nest-building by *Eumenes coarctatus* (L.) (Hym., Eumenidae) on a West Sussex heath-land, 118
- New Forest, notable wasps and bees (Hym., Aculeata) in, during 1988, 34
- New Zealand, a new *Cephalops* Fallén 1810 (Dipt., Pipunculidae) species from, 215
- Nicotiana*, *Dicyphus errans* (Wolff) (Hem., Miridae) breeding on, 214
- Nigerian species of *Atherigona* Rondani (Dipt., Muscidae), descriptions of the females of three, 199
- Norfolk, *Atheta (Philhygra) hygrobica* (Thomson) (Col., Staphylinidae) in west, 149; second European species of *Cryptoprymna* Förster (Hym., Pteromalidae) described from, 205; *Vanoyia tenuicornis* (Macq.) (Dipt., Stratiomyidae) in west, 144
- Northern Isles, *Calliphora uralensis* Vill. (Dipt., Calliphoridae) in the, 139
- Northumberland, *Trechus rivularis* (Gyll.) (Col., Carabidae) in, 42
- Number of species that can be recognised within the genus *Vespa* (Hym., Vespinae), 161
- OBITUARY – Edward Wrigley Aubrook, 91
- Oriental leaf mantis *Sinomantis denticulata* Meier (Dictyopt., Mantodea), 45
- Oriental Region, a new rugaspidiotine genus and species (Hom., Coccoidea, Diaspidae) from the, 49
- Oriental Scolytidae (Col.) reclassification of some, 53
- Orkney, *Tipula limbata* Zett. (Dipt., Tipulidae) new to, 116
- Oviposition behaviour and generation time in *Ischnura pumilio* (Charpentier) (Odon., Coenagriidae), 253
- Peru, the extraordinary genus *Gnathobracon* Costa (Hym., Braconidae, Braconinae) with the description of a new species from, 191
- Predatory beetles, a review of records of the diet of, 77
- Prestomal teeth of dung flies (Dipt., Scathophagidae), with special reference to Nearctic species, 39
- Queens, two, of *Bombus terrestris* (L.) (Hym., Apidae) found hibernating in an old *Cupressus* stump, 108
- Rain pools: significant breeding sites for chironomid midges (Dipt.) in Sudan, 37
- Recent records of *Lamprinos saginatus* (Gravenhorst) (Col., Staphylinidae) in Britain, 164
- Record(s), of *Colon dentipes* (Sahlberg) (Col., Colonidae), a further, 71; two modern, of *Carpelimus schneideri* (Ganglbauer) (Col., Staphylinidae), 144

- REVIEWS – Bailey, W.J. & Smith, J. Ridsdill (eds), 1991, Reproductive Behaviour of Insects, Individuals and Populations, 220; Barjac, H. de & Sutherland, D.J., 1990, Bacterial Control of Mosquitoes and Black Flies: Biochemistry, Genetics and Applications of *Bacillus thuringiensis* and *Bacillus sphaericus*, 122; Booth, R.G., Cox, M.L. & Madge, R.B., 1990, IIE Guides to Insects of Importance of Man, 3, Coleoptera, 256; Crosskey, R.W., 1990, The Natural History of Blackflies, 198; Dahlsten, D.L. & Garcia, R., 1989, Eradication of Exotic Pests, 97; Emmet, A.M. & Heath, J., 1989, The Moths and Butterflies of Great Britain and Ireland, 7(1) the Butterflies, 72; Feijen, H.R., 1989, Diopsidae (*Flies of the Nearctic Region*), 52; Gilbert, P. & Hamilton, C.J., 1990, Entomology: a Guide to Information Sources, 60; Hillyard, P.D. & Sankey, J.L.P., 1989, Harvestmen (*Synopses of the British Fauna*), 106; Hodgson, E. & Kuhr, R.J., 1990, Safer Insecticides: Development and Use, 36; International Atomic Energy Agency, 1990, Sterile Insect Technique for Tsetse Control and Eradication, 223; Kettle, D.S., 1990, Medical and Veterinary Entomology, 115; Morris, M.G., 1990, Orthocerous Weevils. Coleoptera Curculionidea (*Handbk Ident. Br. Insects*), 95; Mound, L., 1989, Common Insect Pests of Stored Food Products: a Guide to Their Identification, 44; Nature Conservancy Council, 1990, Woodland Rides and Glades: Their Management for Wildlife (M.S. Warren & R.J. Fuller), Coppiced Woodlands: Their Management for Wildlife (R.J. Fuller & M.S. Warren), 96; Seymour, P., 1989, Invertebrates of Economic Importance in Britain, Common and Scientific Names, 51; Smith, K.G.V., 1989, An Introduction to the Immature Stages of British Flies (Diptera) (*Handbk Ident. Br. Insects*), 27; Spencer, K.A., 1990, Host Specialization in the World Agromyzidae (Diptera), 97; Svácha, P. & Dailevsky, M.L., 1987, 1988, 1989, Cerambycid larvae of Europe and the Soviet Union, 150; Ver eech, G.K., Mallick, B. & Viraktamath, C.A. (eds), 1990, Social Insects and Their Environment, 241; Wallace, I.D., Wallace, B. & Philipson, G.N., 1990, A Key to the Case-bearing Caddis Larvae of Britain and Ireland, 70; Wright, A., 1990, British Sawflies (Hym., Symphyta), a Key to Adults of the Genera Occurring in Britain (*Field Studies*), xi
- Ross, *Diprion simile* (Hartig) (Hym., Symphyta) and other sawflies in Wester, 138
- Scotland, another record of *Alophora hemiptera* (F.) (Dipt., Tachinidae), in, 28; *Anthrenus sarnicus* Mroczkowski (Col., Dermestidae), in, 48; *Dryops similis* Bollow (Col., Dryopidae) new to, with notes on subfossil and Siberian records, 218; some insect records from Tanera More, Summer Isles, Ross, 34
- Scottish Highlands, *Botanophila moriens* (Zett.) (Dipt., Anthomyiidae) at high altitude in the, 190; further records of *Spilogona alpica* Zett. (Dipt., Muscidae) from the, 28; *Phytodecta pallida* (L.) (Col., Chrysomelidae) at high altitude in the, 137
- Second species of *Paratolmerus* Cameron (Col., Staphylinidae, Quediinae), 221
- Shropshire, recent records of *Hercostomus angustifrons* Staeger (Dipt., Dolichopodidae) in Cumbria and, 121
- Somerset, *Cis coluber* Abeille (Col., Cistidae) in North, 189; notable wasps and bees (Hym., Aculeata) in, during 1985, 76
- South Africa, a new economically important species of *Penetagromyza* (Dipt., Agromyzidae) from, 57
- Stephens, J.F. & Marsham, R., *Meligethes* (Col., Nitidulidae) described by, with changes in nomenclature and type designation, 209
- Sudan, rain pools: significant breeding sites for chironomid midges (Dipt.) in, 37
- Surrey, *Biblopectus delhermi* Guilleau (Col., Pselaphidae) in, 198
- Sussex, *Aegialia sabuleti* (Panz.) (Col., Scarabaeidae) in West, 90; *Diaperus boleti* L. (Col., Tenebrionidae) rediscovered in East, 116; observations of nest building by *Eumenes coarctatus* (L.) (Hym., Eumenidae) on a heathland in West, 118; *Symbiotes latus* Redt. (Col., Endomychiidae) in East, 72; *Uleiota planata* (L.) (Col., Cucujidae) in East, 12
- Swarming behaviour of *Bicellaria simplicipes* (Zetterstedt) (Dipt., Hybotidae), 156
- Tanera More, Summer Isles, Ross, Scotland, some insect records from, 34
- Taxonomy and bionomics of the *Vespa tropica* group (Hym., Vespinae), 225
- Techniques for rearing *Myrmica* ants (Hym.) and *Maculinea rebeli* Hir. caterpillars (Lep., Lycaenidae), 233
- Turkey and Aegean Islands, a new species of *Fieberiella* Signoret (Hem., Cicadellidae) from, with new locality records for the genus, 61
- Type material in the University Museum, Oxford, of one Kirby and five Walker species of Eulophidae (Hym., Chalcidoidea) with new synonymy and designation of lecto-types, 7

- Valid species of the genus *Entedon* Dalman (Hym., Eulophidae), *Eulophus tibialis* (Nees) is a, 197
- Variation in the diagnostic morphological features of *Corixa punctata* (Illiger) and *Corixa iberica* Hansson (Hem.-Het., Corixidae), 145
- Vice-county records, new, for *Uleiota planata* (L.) (Col., Cucujidae), 17
- Western European species of *Ericydnus* Haliday (Hym., Encyrtidae), revision of, including one species new to science, 177
- Westmorland, *Pterostichus angustatus* (Duftschmid) (Col., Carabidae) in Cumberland and, 118
- Wing veins of Phoridae (Diptera), support for the revised interpretation of, 73
- Worcestershire, *Anotylus hamatus* (Fairm. & Lab.) (Col., Staphylinidae), new to, 10

SPECIAL INDEX

New genera, and species, etc., are indicated by heavy type, genera and species new to Britain by an asterisk (*).

ARACHNIDA

Acari 78-9, 81, 84
 Aranae 79, 82
 cassava green mite 97
 Centruroides margaritatus 96
 Dicranopalpus ramosus 107-8
 harvestmen 106
 Heteropoda 96
 Leiobunum blackwalli 108; rotundum 107-8
 mites 115, 242
 Mitopus morio 107-8; m.v. ericaeus 106
 Nelima gothica 108
 Odiellus spinosus 107-8
 Oligolophus tridens 108
 Opilio parietinus 108; saxatilis 107-8
 Opiliones 106
 Paroligolophus agrestis 108
 Phalangium opilio 108
 Sabacon viscayanum ramblaianum 106
 spider toxins, venoms 36
 spiders 242
 Tetranychidae 78-9, 81
 ticks 115
 whip scorpions 242

COLEOPTERA

Acalles turbatus 90
 Acanthophorus spinicornis 96
 Acylophorus 221
 Adalia 2-punctata 170, 174; 10-punctata 170
 Adonia variegata 169
 Aegialia sabuleti 90
 Aepus robbi 160
 Agathidium nigripenne 18
 Aleochara 77; bilineata 78, 81; bimaculata 81; bipustulata 10, 81; curtula, haemorrhoidalis 78; inconspicua 81; lanuginosa, lata 78; moesta, puberula, taeniata, tristis, sp. 81; spp. 251; larvae 77
 Aleocharinae 77
 Aloconota gregaria 81
 Amara aenea 34
 Anatis ocellata 173
 Anchocerus 221
 Anisosticta 19-punctata 169
 Anoeme 150
 Anomognathus cuspidatus 18
 Anoplodermatidae 150
 Anotylus 85, 155; clypeonitens, complanatus, hamatus 10; insignitus 78; inustus 152; rugosus 78, 82, 84-5; sculpturatus 82; sp. 82, 84

Anthicus floralis 10
 Anthobium 78, 85; atrocephalum 78; unicolor 78, 251
 Anthophagus omalinus 78
 Anthrenus sarnicus 48
 Anthribidae, Anthribius 95
 Apatophyseinae 150
 Aphidecta oblitterata 169
 Aphodius ater, prodromus 251; signifer 154
 Apion vorax 95
 Apionidae 95
 Apocellus 77
 Apoderus 95
 Atheta 85; atramentaria 152; basicornis 197; coriaria 82, 84-5; fungi 78, 82; hygrobia 149; hypnorum 78; parvula, pertyi 152; trinotata 152; spp. 81-21 sp. A, sp. B, sp. C. 152
 Atholus duodecimstriatus 10
 Atrecus affinis 82
 Attelabidae, Attelabus 95
 Autalia impressa 251
 Badister bipustulatus, bullatus, meridionalis 116
 Balanobius salicivorus 33
 beetles 242
 Belonuchus rufipennis 82, 84
 Biblopectus delhermi, intermedius, pusillus 198
 Bithynus burelli 90
 Bledius 77; atricapillus, germanicus, tricornis 144
 Blethisa multipunctata 116
 Bolitophagus reticulatus 156
 Brachypterus urticae 213-4
 Bruchus rufimanus 18
 Cafius xantholoma 78
 Callicerus rigidicornis 78
 Calva 14-guttata 172
 Cantharis abdominalis, obscura 90
 carabid adults, larvae 80
 Carabidae 176
 Carpelimus elongatulus, lindrothi 197; pusillus 10; schneideri 144
 Catops nigrita, spp. 251
 Cerambycidae larvae 150
 Cercyon convexusculus 197; haemorrhoidalis v. discoidalis 154; lateralis, lugubris, melanocephalus, subsulcatus, spp. 251
 Cerylon fagi 158
 Chilocorus renipustulatus 168, 173; 2-pustulatus 173
 Chlaenius nigricornis 116
 Chrysolina staphylea 137
 Cicindelidae 256
 Cileia silphoides 10

- Cis bidentatus* 156; *coluber* 189; *nitidus* 156
Cleonus nebulosus 90
Coccinella hieroglyphica, *magnifica* 171;
 5-punctata 170–1; 7-punctata 170;
 11-punctata 171
Coleoptera 81, 83, 238; adults 79, 82; eggs
 79, 82–4; immatures 79; larvae 79,
 82–4
Colon dentipes 71
Coprophilus 77
Cordalia obscura 10
Creophilus erythrocephalus 78; *maxillosus*
 78, 82; *villosus* 79
Cryphomorphus bicolor, *striatulus* 53
Cryphalus bicolor 53
Cryptocephalus querceti 106
Cryptopleurum minutum 251
Crypturgus borealis, *pusillus* 15;
 subcribrosus 14–5; sp. (? *hispidulus*) 15
Cucujus cinnaberinus 17
curculionid immatures 79–81; larvae 79
Dendroctonus brevicornis 13, 15; *micans*
 13–4; *ponderosus* 13; *pseudotsugae*,
 rufipennis 13, 15
Dendrophagus 18
Dendrophilus punctatus 90
Diaperis boleti 116
Dicax sp. 79
Diglotta mersa, *submarina* 160
Dinaraea angustula 79
Disteniidae 150
Dorcosomus 150
Dorytomus longimanus 18
Drusilla caniculata 79, 82
Dryocoetes affaber 15
Dryops similis 219
Epiphanus cornutus 18
Epuraea variegata, spp. 251
elaterid adults, larvae 80
Esolus 24
Epitrix atropae 90
Eriopsis **connexa* 176
Eusphalerum 77
Exochomus 4-pustulatus 173–4
Falagria sp. 82
Gabrieus pennatus 10
Gauropterus fulgidus 10
Geostiba circellaris 82
Gnathotrichus sulcatus 15
Grammotera variegata 90
Gyrophypnus fracticornis 10
Gyrophana 77
Haliplidae 256
Hallomenus binotatus 52
Halysia 16-guttata 172, 174
Harmonia 4-punctata 171–2
Harpalus rufipes 256
Hesperobium californicum 79
Heterocerus flexuosus 144
Hippodamia 13-punctata 168
Hister carbonarius 251; *merdarius* 10; spp.
 251
Hydraena pygmaea 24
Hylastes ruber 15
Hylecoetus dermestoides 90
Hylurgopinus rufipes 13
Hylurgops porosus, *rugipennis* 15
Hypothenemus 54; *brownei* 53; *fijianus*,
 quadridens 54; *striatulus* 53
Ilyobates subopacus 79
Ips amitinus 15; *cembrae* 13; *duplicatus*,
 latidens, *pini* 15; *sexdentatus* 13;
 typographus 13–4, 16
Japanese beetle 97
Judolia cerambyciformis 90
Lamprinodes saginatus 164
Lathridius pseudominutus 153
Lathrobium brunnipes 79; *multipunctum*
 176
Leiodidae 256
Leiopus nebulosus 18
Leptacinus batychrus, *socius* 79
Leptusa pulchella, *ruficollis* 158
Lesteva pubescens 82
Lithocharis nigriceps 10
Lordithon thoracicus, sp. 79
Lucanidae 256
mealworms 238
Mecinus circulator 90
Meligethes aeneus 99, 211–3; *brevis*
 99–105; b. v. *mutabilis* 101; *caeruleus*
 211; *carinulatus* 214; *erythropus*
 209–10, 212–4; *flavimanus* 209–11;
 flavipes 211–3; *latipes* 209–12;
 morosus 211, 213; *nigrescens* 209–13;
 nigricornis 212; *nigrina* 210, 213;
 nigrinus 213; *picipes* 210–1; *pictus* 99,
 105; *rotundicollis*, 211–2; *ruficornis*
 209–10, 212–3; *rufipes* 209–10;
 serripes 213; *solidus* 99–100, 103;
 subcastaneus 209; *subrugosa* 210;
 urticae 211; *viridescens* 99; *xanthocerus*
 209
Metamasius hemipterus 96
Miarus plantarum 90
Micralymma marina 160
Micropeplus 77
Monotoma testacea 10
Myllaena brevicornis, *dubia*, *elongata*,
 infusca, *intermedia*, *kraatzii*, *minuta*
 24
Myrrha 18-guttata 172
Myzia oblongoguttata 173
Nanophyes 95
Necydalinae 150
Nehemitropia sordida 84
Nemonychidae 95
Neohypnus hamatus 79
Neophonus 77
Nephus 167
Nicrophorus humator 251; *interruptus* 90;
 vespilloides 251
Nitidula caerulea 211; *erythrope* 213–4;
 latipes 211–2; *nigrina* 213; *ruficornis*
 212; *subrugosa* 213
nitidulid eggs 85

- Nudobius lentus* 18; *modestus* 82;
pugetanus 79, 84
Olibrus affinis 90
Oligota spp. 78–9, 81
Olophrum 85; *consimile*, *piceum* 79
Omalius 85; *rivulare* 79, 251; *septentrionis* 79
Omosia depressa 90
Ontholestes cingulatus 82; *murinus* 79;
tesselatus 251
Onthophagus ovatus, ?*sellatus* 154
Opsimus 150
Orthotomicus caelatus, *proximus* 16
Orus punctatus 79
Oryctes rhinoceros 256
Osoriinae 77
Othius laeviusculus 176; *myrmecophilus* 79, 82; *punctulatus* 79, 81–2
Otiorhynchus nodosus 90; *sulcatus* 256
Oxyomus sylvestris 154
Oxypeltidae 150
Oxypoda elongatula 79, 82; *sericea* 152;
vittata 79
Oxyporus 77
Oxytelinae 77
Oxytelus laqueatus 251; *sculpturatus* 154,
251; *sculptus* 10, 152; *tetracarinus* 251
Paederus alfieri 82; *fuscipes* 79, 82;
littoralis 82; sp. 79
Parabathyscia wollastoni 10
Paratolmerus pilosiventris 221–2;
siamensis 221–3
Passalidae 256
Pediacus dermestoides 17
Pelophila borealis 116
Perigona nigriceps 10
Phacophallus parampunctatus 10
Philhygra (s.g.) 149
Philonthus addens 79; *brunneus* 79, 84;
cognatus 79, 82, 84; *concinus* 82;
cruentatus 79, 82; *cyanipennis* 84;
decorus 79, 82; *fimetarius*,
flavolimbatus 82; *intermedius* 154, 251;
laminatus 82; *longicornis* 79, 82, 84;
marginatus 79, 251; *misor*, *nitescens* 82;
nitidus 84; *occidentalis* 79; *politus* 251;
rectangulus 82; *sanguinolentus* 82, 251;
splendens 79, 82; *subcingulatus*,
tenuicornis, *theveneti* 82; *turbidus* 80,
83; *varius*, *wusthoffi* 83; spp. 80, 83, 251
Philopodius praeda 53
Phloeodroma sp. 83–4
Phloeosinus bicolor 16
Phloiortya vaudoueri 18
Phyllodecta polaris 137
Phymatodes testaceus 18, 90
Phytodecta pallida 137
Phytoecia cylindrica 143
Pityogenes plagiatus 16
Placusa pumilio 18
Platydacus cinnamopterus 83; *stercorarius* 80, 83
Platypus cylindrus 90
Platystethus 77; spp. 251
Pogonocherus hispidulus 90
Polygraphus rufipennis 16; *subopacus* 14;
sp. (? *punctifrons*) 16
Propylea 14-punctata 172–3
Proteinus ovalis 251
Pseudohylesinus tsugae 16
Pseudopityophthorus minutissimus,
pruinus 13
Psyllobora 22-punctata 172
Ptenidium pusillum 10
Pterostichus angustatus 118
Ptiliidae 256
Pyrochroa coccinea 18
Quedius boops 83; *fuliginosus* 81, 83;
lateralis 80, 83; *luridus* 80; *mesomelinus* 10, 83; *molochinus* 80, *picipes* 83; *scitus* 18
Rhagium mordax 18
Rhagonycha translucida 90
Rhizophagus dispar 18
Rhopalodontus perforatus 156
Rhynchites olivaceus, *sericeus* 90
Riolus 24
Rugilis orbiculatus 10; *salicivorus* 33
Scierus annectens 16
Scolytogenes 54; *praeda* 53; *quadridens* 54
Scolytus 25; *laevis* 13, 138; *laricis*,
unispinosus 13
Scydmaenus tarsatus 10
Scymnus 167
Sepedophilus 77
Siagonium 77; *quadricorne* 18
silphid larvae 80–1
Sinodendron cylindricum 156
Sphaeridium bipustulatum 251
staphylinid adults, larvae 80
Staphylinus aeneocephalus 80, 196; *ater* 10, 80, 83; *badipes*, *brunnipes* 80;
compressus 80, 83; *dimidiaticornis*,
fossator 80; *maculosus* 83–4; *mysticus* 80; *nero* 196; *olens* 80, 83, 196;
ophthalmicus 84, 176; *tarsalis* 83; spp. 80–1
Stenus ater, *biguttatus*, *boops* 83–4;
clavicornis 83; *comma* 83–4;
geniculatus, *impressus* 83; *incrassatus* 83–4; *pallitarsis* 80; *palposus* 80, 83;
spp. 80
Stilbus testaceus 10
Subcoccinella 24-punctata 168–9
Sunius propinquus 10
Symbiotes latus 72
Tachinus 85; *corticus*, *fimbriatus* 83;
frigidus 80; *laticollis* 251; *marginellus* 83; *memnonius* 80; *proximus* 34;
signatus 80, 83–5; *subterraneus*, spp. 251
Tachyporus 85; *chrysomelinus* 80–1, 83,
164; *hypnorum* 80–1, 83; *obtusus* 80–1,
84; *solutus* 84; spp. 80–1, 84
Tetropium gabrieli 90
Thamiaraea hospita 81

Thinobius brevipennis 255
Thinopinus pictus 81
Thyrecephalus albertisi, *chloropterus*,
orthodoxus, *phoenicopterus* 81
Trechus rivularis 42
Trichonyx sulcicollis 90
Trogophloeus hemerinus 144
Trycherus erytroides 96
Tytthaspis sedecimpunctata, s.f. *poweri* 54;
16-punctata 169–70
Uleiota planata 12, 17
Urodontidae 95
Veleius dilatus 84
Vesperidae 150
 white fringed beetle 97
Xantholinus cephalus 81, 84; *glabratus* 84;
linearis 81, 84; *longiventris* 10, 81;
selucens 152
Xanthopygus cognatus 81

COLLEMBOLA

Collembola 78–84
 ? *Poduridae* 10

DERMAPTERA

adults 80
Dermaptera 83
 earwigs 238
Labia minor 10

DICTYOPTERA

Acanthops 47
Choerododis 47
 cockroaches 242
Deroplatys 47
Ectobius pallidus 252
Galepsus toganus 47
Henschoutedenia epilamproides 96
Mantis 47
Miomantis 47
Phyllocrania 47
Pseudocreobotra 47
Sinomantis denticulata 45–8
Sphodromantis 47
Tarachodes 47
Theopompella 47

DIPLURA

Diplura 84

DIPTERA

Achalcus flavicollis, *melanotrichus* 26
Agromyzidae 97–8, 152
Allomyella crinipes, *unguiculata* 41
Alophora hemiptera 28
Alpinomyia (s.g.) 142
Americina adusta 40–1
Aphiura 75
Argyra grata 26
Atelestidae, *Atelestus* 11
Atherigona corrugata 199–201; *nigeriensis*
 199–202; *pallidipleura* 199, 203–4;
soccata 201–3
Azelia cilipes 34
Bathycranium bicolorellum 26
Beckerias 215
Bicellaria 11; *nigrita*, *simplicipes* 156;
sulcata 34
 blackflies 122, 198
 bluebottles 238
Bombylius canescens, *major* 160
Borborillus 153
Botanophila moriens 190
Brachyopa insensilis 208
Brachystoma 11
Calliphora erythrocephala 139; *loewi* 139,
 142; *uralensis* 139–43; *vicina* 139–42;
vomitaria 139–40
Campsicnemus pectinulatus, *picticornia* 26
Caricea tigrina 34
Centrioncidae 52
Cephalosphaera 215
Cephalops libidinosus 215–7; *navus*,
semifumosus 217
Chaetosa churchilli 41
Chelifera, *Chelipoda* 12
 chironomid adults, larvae 80
Chironomus alluaudi, *brunneus*, *imicola* 37
 ? *chloropid puparium* 124
Chloropidae 152
Chlorops cinctipes, *limbata*, *pumilionis* 245
Chrysotimus concinnus 26–7; *molliculus* 26
Chrysotus laesus, *suavis* 26
Cladotanytarsus sp. 37
Clinocerinae 12
Clythiidae 73
Cochliarium 41
Coniosternum (s.g.) 40–1
Conopidae 60
Conops flavipes, *quadrifasciatus* 164
Coproica 153; *ferruginata*, *vagans*, 152
Copromyza 153, 155
Cordilura 39, 41; *albarta*, *criddlei*,
gracilipes, *intermedia*, 41; *munda*
 40–1; *pleuritica*, *praeusta*, *varipes* 41
Cordylurella nana, *nebulosa* 41
Cosmetopus longus 41
Crossopalpus 12
Cryptotendipes graminicolor 37
Culicoides 155
Cyrtoma 11
Dasineura larvae 85

- Delininae 41
 Diopsidae, *Diopsis longicornis* 52
 Diptera 77, 79–81; adults, 79–82, 84; eggs 77–8, 80–4; larvae 78–84; pupae 78, 82–3
 dipterous larva 18
 Dohrniphora cornuta 74
 Dolichocephala 12
 Dolichopus latelimbatus, linearis, longicornis, notatus, subpennatus, wahlbergi 25
 Drapetis ephippiata, exilis 12
 Drosophila 46, 85, 155, 240; busckii 153; funebris 238; hydei 152–3; immigrans 153; melanogaster 153; 238–9; subobscura 152–3; sp. 152; pupae 85
 Drymeia hamata 34
 Elachisoma aterrimum 152
 Elaphropeza (s.g.) 12
 Eleocharis 246
 Empididae 11
 Empididae 11–2, 60
 Empis 11
 Eudorylas arthurianus, deansi, harrisi 121
 Fannia canicularis 34
 fanniids 123
 fly larvae 252
 Gimnomera cerea 39–41; subvittata 41
 Gloma 11
 Glossina palpalis, tachinoides 224
 Gonarcticus alberta, arcticus 41
 Heleomyza laevifrons 34
 Helina duplicata, reverso 34
 Hemerodromia, Hemerodromiinae 12
 Hercostomus angustifrons 121; assimilis, chalybeus, chrysozygus 25
 Heteronychia boettcheriana 3–4; compactilobata 1–4; depressifrons 1, 3–4; haemorrhoea 3
 Hexamitocera 41
 Hilara 11
 Holoclera (s.g.) 34
 houseflies 238
 hoverflies 60
 Hybos 11; culiciformis 34
 Hybotidae 11–2
 Hybotinae 11
 Hydromyza confluent 40–1
 Ischiolepta 153
 Lamprochrobus elegans 27
 Lasiosina cinctipes 243–5; heleocharis 249; intermedia 243–6
 Leopoldius signatus 164
 Leptocera sp. 152
 Leptopeza flavipes 11
 Liriomyza trifolii 98
 Medetera ambigua, diadema, flavipes 26; muralis 25; nitida 25–6; oscillans, pallipes, petrophiloides, tristis 26
 Megaphthalmoides unilineatus 41
 Megaselia 28; bovista 123–4, 159; subfuscipes, tumida 74
 Melanagromyza 58
 Microchrysa polita 124–5
 Micromorphus albipes 26
 Microprosopa flavinervis, haemorrhoidalis 41
 Microphor, Microphoridae 11
 Micropselapha 41
 ?Minilimosina 152
 mosquitoes 122
 Musca 85
 Muscidae 152
 muscids 123
 Nanna 39; loewi 39–41; similis 41
 Neochirosia nuda 40–1
 Nupedia aestiva 190
 Ocydromia, Ocydromiinae 11
 Oedalea minuta 11
 Okeniella dasyprocta 41
 Ophiomyia 58
 Orthacheta 39; cornuta, strigipes 39–41
 Oscinis approximatonervis 247; erythrocephala, ruficeps 246
 Parasarcophaga albiceps 6; exuberans 1, 5; *jacobsoni, *portschinskyi 1, 5–6; teretirostris, uliginosa 6
 Penetragromyza **aloeophaga**, aloes 57–9; similans 57–8
 Pericoma 28
 Phania funesta 9
 Phoridae 73–6, 159
 Phrosia 41
 Phyllodromia 12
 Piezura boletorum 204
 Platycoenosia mik(i) 204
 Platypalpus 12; alter, commutatus, ecalceatus 219; *rapidoides, rapidus 219–20; stigmatellus 219
 Platypeza 11
 Platypezidae 73, 75, 159
 Platypezinae 11
 Plethochaeta testacea 40–1
 Pleurochaetella simpliceps 41
 Poecilobothrus principalis 25
 Pogonota gilvipes, immunda, sahlbergi 41
 Polypedilum vanderplanki 37
 Pseudomyopina 190
 Pseudopachychaeta approximatonervis 243–4, 246–9; heleocharis 243, 246–9; ruficeps 243, 246–8
 Psychoda 155
 ?Pullimosina 152
 Puncticorpus cribratum 152
 Rachispoda (s.g.) 152 [-yole, error]
 Rhamphomyia 12; morio 142; sciarina 34
 Rhaphium antennatum 26
 Rhynchomicropteron beaveri, brevipes, muluensis 120; **nepalensis** 119–21; necaphidiforme 121; nudiventer 120–1; silvestrii 120
 Sargus bipunctatus 10; iridatus 125
 Scaptomyza pallida 153
 Scathophaga 39; aldrichi, apicalis, crinita, 41; grisea 40–1; incola 41; intermedia 40–1; litorea 34; maculipes 154; mollis,

multisetosa, nigripalpis, nigrolimbata,
obscurinervis, reses 41; stercoraria 154;
varipes 41
Sciadoceridae 73
Sciapus contristans, *longulus*, *maritimus* 27
S[ciara] thomae 44
Sciomyzidae 60
 screwworm 97
Sepsidae 152
Simuliidae 198
Simulium posticatum 198
Spatulapica (s.g.) 4
Spaziphora cincta 41
Spelobia 152
Sphyracephala 52
Spilogona alpica 28; *triangulifera* 190
Stilpon 12
 stratiomyid puparium 125
Sylvicola fenestralis 34
Symbalophthalmus 12
Syneches muscarius 11
Syntormon monilis, *pumilis* 26
Syringogastridae 52
Syritta pipiens 124
Systemus 26
Tachydromia, *Tachydromiae* 11–2
 'Tachydromiidae' 12
Tachydromiinae 11
Tachypeza 12
Tephritidae 220
Teuchophorus spinigerellus 26
Tipula limbata 116
Tomosvaryella novaezealandiae 215
Trichina clavipes 11
Trichopalpus obscura, *palpalis* 41
Trichopeza 12; *longicornis* 11
Trichosia absurda 32; **hirtipennis* 43–4;
 splendens 43
Tricimba lineella 123
 tsetse flies 223
Vanoyia tenuicornis 144
Volucella pellucens 34
Weberia pseudofunesta 9
Wittella 215

EPHEMEROPTERA

Afroptiloides (s.g.) 109
Afroptilum bicaudatum 109, 114;
 variegatum 111–4; *varium* 109–10
Centroptilum 109; *varium* 110

HEMIPTERA

aphids 77, 174, 242
 cassava mealybug 97
Chorosoma schillingi 250
Coccidae 95
Corixa geoffroyi 145; *iberica*, *punctata*
 145–9

date palm scale 97
Dicyphus epilobii 38; *errans* 38, 214;
 pallicornis 158, 214
Eupteryx aurata, *cyclops*, *filicum*, *urticae*
 196
Eysarcoris fabricii 38
Fieberiella 61–70; ***anategea*** 61–6, 69;
 aschei, *chioscola* 65; *gemelina* 61,
 65–7, 69; *lindbergi* 65–6; *lugubris* 61,
 63–6, 69; *macchiai* 61, 65–6, 68–9;
 oenderi, *pallida* 65; *septentrionalis* 61,
 65, 69
 Hemiptera 217
Legnotus limbosus 150
Liocoris tripustularus 38
Nabis fesus 10
Natalaspis 49
Nilaparvata myersi 217
Pediopsis tiliae 242
Psallus flavellus 38
Rastrococcus mealybug 97
Rugpapaspis proxantennata 49–51

HYMENOPTERA

Acantholyda posticalis 138
Andrena alfkennella, *argentata* 34;
 bimaculata, *fulvago* 76; *flavipes* 34;
 hattorfiana 76; *nigriceps*, *nitidiuscula*,
 pilipes 34
Andrenidae 127
 ants 77, 119, 126 [nest], 242
Apis dorsata 242; *mellifera* 127, 241
Apocryptophagus robustus 190
Aprostocetus xanthopus 117
Aspilota globipes, **intermediana* 157;
 vesparum 125; sp. 123–5
Astata pinguis 76
Basalis parva 123–6; *tritoma* 126; sp.
 123–4
Bombus lapidarius 165; *pratorum* 166;
 terrestris 108, 165–6
Bracon discoideus 33; ***histeromeroides***
 19–22; *picticornis* 33
Braconinae 191
 carpenter bees 242
Cercerini, *Cerceris* 127
Chrysocharis viridis 8
Cirrospilus abastor, *aratus*, *phorbis*,
 vittatus 8
Colletes marginatus 34, 76
Crabroscutellatus 34
Cryptoprymna africanus, *australiensis*,
 atra, *brama*, *crucigera*, *dixiana* 205;
 paludicola 205–7
Dasypoda altercator 34, 76
Digonogastra 195
Diprion simile 138
Dorylus nigricans 96
Dynatogmus robustus 190

- Entedon afranius 8; euphorion, longicornis, tibialis 197
- Ericydnus aemnestus 187–8; aeneus 179, 181, 183–4; apterogenes 179–81, 183, 185–8; atriceps 178, 187–8; atripes 182; atrovirens 177; baleus 180–1, 185, 187–8; basalis 187; bicolor 187–8; caudatus 178, 180, 182; dichrous 182; latiusculus 187; longicornis 178, 182–3, 185, 187; 1. ab. tasnadensis, 1. f. apterogenes 187; paludatus 177–8, 182; pilosulus 179, 180, 183, 185–6; robustior 179, 181, 183–4; sipylus 179–81, 185–8; s. f. bicolor 179–81, 185, 188, strigosus 177–9, 181, 183–4, 186–7; ventralis 178, 180, 182–3, 187; v. var. biplagiatus 187; v. var. robustior 184
- Eulophus cleopater 9; damicornis 7–8; metanira 8; ramicornis 7–8; thespius 8; tibialis 197; tidius 8; verbasci 55; xanthops, xanthopus 117
- Eumenes coarctata 76; coarctatus 71; 118; *papillarius, p. papillarius 71
- Eurytoma torymoides, sp. [nr aciculata] 33
- fire ants 97, 241
- formicid adults 79–80; larvae 79–80, 83–4; pupae 84
- Formicidae 242
- Gastrancistrus 55–6; ater, glabellus, nitidulus, semicupreus, vulgaris 56
- Geniocerus xanthops 117
- Gnathobracon 191–5; babirusa 191; tremblayi 191–4
- Gnathobraconinae 191
- Grahamia clinius 9
- Halictidae 127
- Hedychrum niemalai 34
- Histeromerus mystacinus 19, 22
- honey bees 242
- Hylaeus euryscapus 34
- Hymenoptera, larvae 84
- Hypoponera punctatissima 96
- Lasioglossum angusticeps 34; laticeps 76; malachurus 34
- Lasius brunneus 106; neglectus 242
- Megachile leachella 34, 76
- Melitta tricineta 34
- Metallon atriceps 186–8
- Microdiprion pallipes 138
- Minotetrastichus ecus 117
- Myrmica 233–4, 236–9; rubra 164, 238; sabuleti, schencki 239
- Necremnus folia, tidius 8
- Neochrysocharis aratus 8
- Nomada fucata 34, 76; tormentillae 34
- Oxybelus mandibularis 34
- Paravespula germanica, vulgaris 242
- Parischnogaster 232
- Perilampus nigricornis, pallipes, ruficornis 9
- pest ants 242
- Philanthus andalusiacus 130; bolivari 129; coarctatus 129–30, 135; coronatus 128–9; c. coronatus 128–9, 136; c. ibericus, c. orientalis 128; c. raptor, c. sicularis 129; dufouri 129–30, 136; melliniformis 130; minor 129, 131, 135–6; niloticus 129; pulchellus 130, 132–6; raptor 129; ruspatrix 128; sculpturatus 127, 130–3, 135–6; sieboldi 130; triangulum 34, 127, 136; t. abdelcader, t. bimaculatus, t. diadema, t. obliteratus, 128; venustus 130, 135–6
- Phrudus *badensis 157
- Podalonia hirsuta 76
- Polistes 232; jadwigae 230
- Polyrhachis militaris 96
- Ponerinae 119
- Pontania collectanea 29–33
- Pseudepipona herrichii 76
- Pseudoscolia martinezi 127
- Rogadinae 191
- Ropalidia 232, 241
- Scambus vesicarius 33
- Sigmophora brevicornis 56
- Sphecocephala vesparum 242
- Sphegigastrini 205
- Spheg tropica 225
- Stenogaster 232
- Stomoctea 56; pallipes 55–6
- Symphyta xi
- Tetrastichus 55; mokrzejczi 117
- Trichopria aequata 123; clavatipes 124–6; verticillata 124, 126
- Urocerus gigas 138
- Vespa affinis 161–2, 225; analis 162; auraria 161–2; basalis 162; bellicosa 161–2; bicolor 162; binghami 161–3; cincta 162, 225; crabro 161–2; deusta 161–2; ducalis 161–2, 226–32; d. ducalis, d. pulchra 226–7; dybowskii 161–3; eulemoides 161–2; fervida 162; luctuosa 161–2; magnifica 161–3; mandarinia 161–3; m. soror 225; mocsaryana 162; mongolica 161–2; multimaculata 161–2; nigrans 162; oberthuri 161–2; orientalis, parallela, 162; philippinensis 161–2, 226–32; similima 161–2; soror 161–3; suprunenkoi 161–3; tropica 161–2, 225, 228–32; t. anthracina 225–6; t. cebuana 226; t. deusta 225–6; t. ducalis 163, 225–7; t. esakii 163, 225, 227; t. eulemoides 225–6; t. haematodes, t. leefmansi 163, 225–6; t. loochooensis 163, 225, 227; t. philippinensis 225–6; t. pseudosoror 163, 225–7; t. pulchra 163, 225, 227; t. soror 225; t. trimeres, t. trisignata, t. tropica, t. unicolor 225–6; variabilis 162; velutina 161–2; v. auraria, v. nigrithorax, v. pruthii 163; vivax, walkeri, wilemani, 161–3

ISOPTERA

termites 77, 119, 241
Termitidae 119

LEPIDOPTERA

butterflies 96
Dendrolimus pini 117
Euproctis chrysorrhoea 117
grain borer 97
gypsy moth 97
Lepidoptera 72; adults 82-3; eggs 79-80;
82-3; immature stages 78; larvae
79-83; pupae 79, 82-3
Macrothylacia rubi 117
Maculinea alcon, arion 233; rebeli 233-4,
237-9
moths 96

ODONATA

Ischnura elegans 254; pumilio 253-5
Odonata 60

ORTHOPTERA

Jamaicana subguttata 96
Metrioptera roeselii 224
Orthoptera 47, 72

PLECOPTERA

Plecoptera 85

PSOCOPTERA

Caecilius ornatipennis 35
Drymopsocus valdiviensis 35
Haplophallus chilensis 35
Ptenospila delicatella 35

SIPHONAPTERA

Ischnopsyllus octactenus 195
Siphonaptera 83

THYSANOPTERA

thrips 242
Thysanoptera 78, 82, 85

TRICHOPTERA

Limnephilus pati 70
Trichoptera 70

GROUPS OTHER THAN INSECTA
AND ARACHNIDA

Amphibia 96
Amphipoda 81
Annelida 51, 78-9, 83, 251
Aves 53, 96, 198, 238
Bacteria 36, 122
Isopoda 56, 79-82, 85, 236
Mammalia 52, 96, 195, 242, 251
Mollusca 79-80, 82-3, 96, 99, 143
Myriapoda 23, 79, 83-4, 96, 160, 176, 236,
252
Nematoda 51, 78-80, 82, 84-5
Platyhelmintha 51
Protozoa 198
Reptilia 96

ERRATA AND CORRIGENDA

Page	Line	For	Read
25	15 (up)	<i>Chrysozygos</i>	<i>Chrysozygus</i>
79	25, 31	Enchy	Enchyt
96	15	Orth.	Dictyopt.
106	12 (up)	<i>Mitopius</i>	<i>Mitopus</i>
152	8 (up)	<i>Rachisyole</i>	<i>Rachispoda</i>
154	16	Scatophagidae	Scathophagidae
"	17	<i>Scatophaga</i>	<i>Scathophaga</i>
169	3 (up)	<i>Tythaspis</i>	<i>Tythaspis</i>
225	11 (up)	<i>sorror</i>	<i>soror</i>
v	22 (up)	insert p.95 between pp.72 & 96	

VOL. 126

'*Sitona lepidus* 20' was omitted from the Coleoptera Index for Vol. 126.